	Application No.	Applicant(s)	
Notice of Allowability	10/719,676	WIEBE ET AL.	(an)
	Examiner	Art Unit	
	Tung S. Lau	2863	
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS (Inherewith (or previously mailed), a Notice of Allowance (PTOL-85) of NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RICE of the Office or upon petition by the applicant. See 37 CFR 1.313 and 1. ☐ This communication is responsive to 02/20/2006.  2. ☐ The allowed claim(s) is/are 15,19 and 24-35.  3. ☐ Acknowledgment is made of a claim for foreign priority under and 1. ☐ Certified copies of the priority documents have 1. ☐ Certified copies of the priority documents have 1. ☐ Certified copies of the priority documents have 1.	OR REMAINS) CLOSED in or other appropriate community of the community of t	n this application. If not include unication will be mailed in due of subject to withdrawal from issue or (f).	ed course. <b>THIS</b>
<ol><li>Copies of the certified copies of the priority doc</li></ol>	uments have been received	in this national stage applicat	ion from the
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" o noted below. Failure to timely comply will result in ABANDONME THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the req	uirements
<ol> <li>A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which gives</li> </ol>			OTICE OF
5. CORRECTED DRAWINGS ( as "replacement sheets") must	be submitted.		
(a)  including changes required by the Notice of Draftsperso	n's Patent Drawing Review	/ ( PTO-948) attached	
1)  hereto or 2)  to Paper No./Mail Date			
(b) including changes required by the attached Examiner's Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.8 each sheet. Replacement sheet(s) should be labeled as such in the	i4(c)) should be written on the header according to 37 CF	ie drawings in the front (not the R 1.121(d).	back) of
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT F</li> </ol>			ote the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of In	formal Patent Application (PTC	\ 152\
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		ummary (PTO-413),	- 1 <i>32)</i>
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08	Paper No./	Mail Date Amendment/Comment	
Paper No./Mail Date	_		
<ol> <li>Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ol>		Statement of Reasons for Allov	vance
	9.	<u>-</u> ·	

## **DETAILED ACTION**

## Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 10/21/2005 has been entered.

## Allowable Subject Matter

2. Claims 15, 19, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34 and 35 are allowed.

## Reasons for Allowance

3. The following is an examiner's statement of reasons for allowance:

Independent claims 15, 19, 24, 26 and 31 contain allowable subject matter. None of the prior art of record shows or fairly suggests the claimed invention.

Regarding claims 15, 19 and 24:

The primary reason for the allowance of claims 15, 19 and 24:

Please see previous office action and applicant's response filed on 02/20/2006 for reason for allowance.

Claim 25 is allowed due to their dependency on claim 24.

Regarding claim 26:

Art Unit: 2863

The primary reason for the allowance of claim 26 is the inclusion of the method of monitoring refrigeration equipment having compressor, a condenser, an evaporator and a refrigeration chamber including the refrigeration equipment is actively monitored for existing or incipient equipment problems by repeatedly retrieving the entire stored time series of the recent history of one or more operating parameters and tracking the trend of each said operating parameter by examining the interrelationship over time of values from each of the time series so retrieved from the database. It is these features found in the claim, as they are claimed in the combination, that has not been found, taught or suggested by the prior art of record which makes this claim allowable over the prior art.

Claims 27, 28, 29 and 30 are allowed due to their dependency on claim 26. Regarding claim 31:

The primary reason for the allowance of claim 31 is the inclusion of the apparatus to monitor refrigeration equipment having a compressor, a condenser, an evaporator and a refrigeration chamber including the refrigeration equipment is actively monitors for existing or incipient equipment problems by repeatedly retrieving the entire stored time series of the recent history of one or more operating parameters and tracking the trend of each said operating parameter by examining the interrelationship over time of values from each of the time series so retrieved from the database. It is these features found in the claim, as they are claimed in the combination, that has not been found, taught or suggested by the prior art of record which makes this claim allowable over the prior art.

Application/Control Number: 10/719,676

Art Unit: 2863

Claims 32, 33, 34 and 35 are allowed due to their dependency on claim 31.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tung S Lau whose telephone number is 571-272-2274. The examiner can normally be reached on M-F 9-5:30. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Barlow can be reached on 571-272-2269. The fax phone numbers for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TL

Supervisory Patent Examiner
Technology Center 2800

Page 4